## CALCUTTA HEART CLINIC & HOSPITAL

A Non Commercial Medical Centre under W. B. Societies Registration Act. 1961.

HC BLOCK SECTOR III BIDHANNAGAR KOLKATA 700 106 INDIA PHONE: 23585735 / 23587885 / 23214578 / 2334 5144; FAX: (033) 2358 8876

E-MAIL: calheart@vsnl.net Website: www.calcuttaheartclinic.org

REGISTRATION NO. S/16611 OF 1975-76

Ref: CHCH/WBPCB/A-1/19-20

Date: 13.02.2020

To

Chief Engineer O & E Cell paribesh Bhawan 10A, Block-L.A, Sector-III, Salt Lake City Kolkata 700098

Re: Submission of Annual report for the year 2019

Dear Sir,

With reference to the above captioned subject kindly find the enclosed Annual report for the year 2019 of Biomedical Waste disposed through M/S Greentech Environ Management PVT. LTD as per your guideline.

Kindly acknowledge on receipt of the same.

Thanking you

Yours faithfully

For CALCUTTA HEART CLINIC & HOSPITAL

Dr. Subhash Dasgupta

**Deputy Medical director** 

Dy. Medical Director Calcutta Heart Clinic and Hospital



## Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.	Particulars					
1.	Particulars of the Occupier	-				
	(i) Name of the authorised person (occupier operator of facility)	or	:	DR. KISANLAL PRADHAN		
	(ii) Name of HCF or CBMWTF		:	Calculta Heart clinic & Hospital		
	(iii) Address for Correspondence	T	;	HC-4, secton-111, Bidhannagar Kolkata- 700/06.		
	(iv) Address of Facility			70070		
	(v)Tel. No, Fax. No	1	:	033-23587887		
	(vi) E-mail ID		:	Colheant 06@gmail.com		
	(vii) URL of Website					
	(viii) GPS coordinates of HCF or CBMWTF			latitude 22 34 31. 22 W longitude 88 25' 05. 32" E		
	(ix) Ownership of HCF or CBMWTF		:	(State Government or Private or Semi Govt. or any other)		
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules		•	Authorisation No.: 79-25(BM)-2223-2007valid up to 31-04-2022		
	(xi). Status of Consents under Water Act and A	ir	:	Valid up to:		
2.	Type of Health Care Facility		:	NURSING HOME		
	(i) Bedded Hospital		;	No. of Beds: 12.8		
	(ii) Non-bedded hospital	1	:			
	(Clinic or Blood Bank or Clinical Laboratory of Research Institute or Veterinary Hospital or are other)	- 1		Not Applicable		
	(iii) License number and its date of expiry			33708716, 09/08/2020		
3.	Details of CBMWTF	1	:			
	(i) Number healthcare facilities covered by CBMWTF		:	Not apphicable		
	(ii) No of beds covered by CBMWTF		:	Not applicable		
	(iii) Installed treatment and disposal capacity of CBMWTF:		:	Kg per day N.A		
	(iv) Quantity of biomedical waste treated or dispose by CBMWTF	d	:	Kg/day N. A		
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)		:	Yellow Category: 8509.1 kg/Annum  Red Category: 7376.5 kg/Annum  White: 621.5 kg/Annum  Blue Category: 1336.0 kg/Annum  General Solid waste: 30 000 kg/Annum (Approx)		
5	Details of the Storage, treatment, transportation, pro	Details of the Storage, treatment, transportation, processing and Disposal Facility				
		Size : 55 S4 # Capacity:				
	facility Capa					
	Prov	Provision of on-site storage : (cold storage or				
	. any	any other provision)				

Г	diamonal facilities		Trung of transfer and	No	Cap	Quantity
	disposal facilities		Type of treatment		10.5	
			equipment	of.	acit	treatedo
				unit	,	Ι ,
				5	Kg/	2
					day	in kg
						per
						annum
			Incinerators			
			Plasma Pyrolysis		NO	
			Autoclaves		NO	
			Microwave			s, 6 Nos
			Hydroclave		NZ	
			Shredder		N	0
			\$100 1 9 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
			Needle tip cutter or		- 4.	es, 18 NOS.
			destroyer			
			Sharps			
			encapsulation or		- N	0
			concrete pit			
			Deep burial pits:		N	0
			Chemical		- Y	
			disinfection:		- 1	-
			Any other treatment		*	01
			equipment:			
	(iii) Quantity of recyclable wastes	:	Red Category (like plast	ic glas	s etc.)	
	sold to authorized recyclers after	•	Red Category (Tike plast	10, 5.45	5 020.7	
		II.	4			
	treatment in kg per annum.			-		
	(iv) No of vehicles used for collection	:	1 Nos.			
	and transportation of biomedical		1 1407			
	waste					
	(v) Details of incineration ash and		Quant	50	Wh	
	ETP sludge generated and disposed		genera	ited	disp	oosed
	during the treatment of wastes in Kg		Incineration			
	per annum		Ash N.A			
			ETP Sludge			
	(vi) Name of the Common Bio-	:	Gneentech Envision 397/1/1 Dakshind	1 Max	lagen	nent put-1td
	Medical -Waste Treatment Facility		207/11 Dakshind	ATH R	oad	
	Operator through which wastes are		p.oSnibhumi, K	olkat	a - 700	2048
	disposed of		לי מיויאום מכביים יל	-11000		
	(vii) List of member HCF not handed					
			<b>←</b>			
	over bio-medical waste.					
6	Do you have bio-medical waste					
	management committee? If yes, attach		Yes, Attachedo			
	minutes of the meetings held during		1 Millioned			
	the reporting period					
7	Details trainings conducted on BMW					
	(i) Number of trainings conducted on		a alanla			
	BMW Management.		Quarterly			
	21,111 11111111111111111111111111111111		1			

1 3

	(ii) number of personnel trained	1	Approx
	(iii) number of personnel trained at		
	the time of induction		40-50 Personnel
	(iv) number of personnel not		
	undergone any training so far		
	(v) whether standard manual for		_
	training is available?		
8	(vi) any other information)  Details of the accident occurred		NIL
0	during the year		NEF
	(i) Number of Accidents occurred	6	NIL
	(ii) Number of the persons affected		NIL
	(iii) Remedial Action taken (Please		
	attach details if any)		Not applicable
	(iv) Any Fatality occurred, details.		
9.	Are you meeting the standards of air		
	Pollution from the incinerator? How		Not applicable
	many times in last year could not met		
	the standards?		
	Details of Continuous online emission		No
10	monitoring systems installed		135
10	Liquid waste generated and treatment		
•	methods in place. How many times	343 g	Yes
	you have not met the standards in a	×	. /
11	year?  Is the disinfection method or		
11	sterilization meeting the log 4		N.OS
	standards? How many times you have		1,20
	not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the
.			Incinerator)
	ა '		

Certified that the above report is for the period from	
	VP SI

Name and Signature of the Head of the Institution

Date: 13/01/2020 Place Kolkata Hony. Secretary
Calcutta Heart Clinic
and Hospital